

Approvals

Approvals

IPAM Admin ▾ Data Import Users API ▾ Scheduler Log Approvals ▾ Constraints Exit Admin

Approvals Pending Approvals Permission Groups

Actions & Permissions

0 pending items selected.

Pending Approvals 4

Filter by Action: none Search...

<input type="checkbox"/>	ID	IT Name	IT Family	IT Action	IT Updated	IT Submitted by	Options
<input type="checkbox"/>	15526	sometestzone.com.	DNS Zones	ADD	2020-Aug-10 13:22:58	Jose@6connect.com	<button>Approve</button> <button>Reject</button>
<input type="checkbox"/>	15527	3m Group	DNS Groups	BACKGROUND PUSH	2020-Aug-10 13:23:02	Jose@6connect.com	<button>Approve</button> <button>Reject</button>
<input type="checkbox"/>	15528	3m Group	DNS Groups	UPDATE	2020-Aug-10 13:23:14	Jose@6connect.com	<button>Approve</button> <button>Reject</button>
<input type="checkbox"/>	15529	testJoseZone.	DNS Zones	DELETE	2020-Aug-10 13:23:21	Jose@6connect.com	<button>Approve</button> <button>Reject</button>

Historical Approvals Data >

The Approvals module stores and queues DNS actions made by selected User Groups, and sends those actions to a Pending Changes list for administrative review. Later, an administrator (or combination of administrators) can approve or reject these stored actions.

The admin [Approvals](#) Tab contains two sub-tabs: **Pending Approvals** and **Permission Groups**, which are the primary areas to manage Approvals items.

i Currently, **Approvals** is available only for **DNS** related actions, while we gather feedback and use cases to inform possible future updates. If you are interested in providing feedback, a use case, or requests for future additions to the Approvals system, please contact feedback@6connect.com.

- Approvals
- Approvals Tab - Overview
 - Approvals Fundamentals (Before you Begin)
 - Policies
 - Family-Action Types
 - User Groups
 - Sample Group Scenarios
 - Scenario 1: One Approver Group, with Restricted Actions
 - Scenario 2: Multiple Approver Groups/Specific user, with Restricted Families
- Approval Workflows
 - Initial Setup
 - Step 1 - Review Existing User Groups and Process Needs
 - Step 2 - Add or Edit ProVision User Groups
 - Step 3 - Assign Approval Action Settings to Groups
 - Step 4 - Enable Notifications (Optional)
 - Step 6 - Add Scheduler Task: "Approvals - Delete events older than 1 month"
 - Daily Use
- Additional Information

Approvals Tab - Overview

Approvals

Pending Approvals

Permission Groups

Actions & Permissions

0 pending items selected.

Pending Approvals 5

Filter by Action: none

Search...

<input type="checkbox"/>	ID	Name	Family	Action	Updated	Submitted by	Options
<input type="checkbox"/>	14629	test6.	DNS Zones	DELETE	2019-Feb-12 14:49:47	limited@6connect.com	<div>Approve</div> <div>Reject</div>
<input type="checkbox"/>	14630	A New DNS Group	DNS Groups	ADD	2019-Feb-12 14:50:27	limited@6connect.com	<div>Approve</div> <div>Reject</div>
<input type="checkbox"/>	14631	Example Group	DNS Groups	UPDATE	2019-Feb-12 14:51:21	limited@6connect.com	<div>Approve</div> <div>Reject</div>
<input type="checkbox"/>	14632	somezone.com.	DNS Zones	ADD	2019-Feb-12 14:59:59	limited@6connect.com	<div>Approve</div> <div>Reject</div>
<input type="checkbox"/>	14633	2abczone.com.	DNS Zones	BACKGROUND PUSH	2019-Feb-12 15:00:29	limited@6connect.com	<div>Approve</div> <div>Reject</div>

The ProVision Approvals system gives administrators an additional layer of flexibility and oversight to manage which changes are allowed to DNS items by users.

With Approvals, administrators can set group permission rules requiring that certain types of DNS changes made by a user are either 1) automatically denied or 2) approved by an administrator. In the latter case, one or more admin group(s) must be assigned to approve those action types.

Viewing requested changes and managing the group permission rules are both managed from the admin [Approvals](#) tab, under the **Pending Approvals** and **Permission Groups** sub tabs.

Approvals Fundamentals (Before you Begin)

The approvals system revolves around three primary concepts: Policies, Family-Action Types, and User Groups. An understanding of all three is necessary before setting up Approvals, and additional steps may need to be taken to ensure proper use of Approvals - such as creating additional User Groups.

Policies

When setting up Approvals Permission Groups, a policy will need to be selected to apply to the User Group / Family-Action Type combination selected. The set policy determines how the Approvals system handles an attempted change by a member of the associated User Group.

There are three available policies:

- **Deny:** The type of change is immediately denied when a member of the User Group attempts to perform that action.
- **Action to be Approved:** The type of change made by any user in the associated User Group will require an administrative user to approve the change (The approver must be included under a "Must Approve" group for the same action).
- **Must Approve:** A user from the group must approve the action for it to be removed from the "Pending" list, and successfully execute. If more than one group is assigned with the "Must Approve" policy for an action, all groups must have a user from that group approve the action for it to execute. If the change has only been partially approved, its status will be "Pending, awaiting approval from others" and no action will be executed until all groups have provided a response to the action.

Ensure that for any group/action set with an "Action to be Approved" policy, another group is set with "Must Approve" for the same family-action type. Failure to provide groups for both submitter and approver may result in changes not being processed, due to not having a user assigned to approve the request.

Family-Action Types

In Approvals, the "Action" listed in the Pending Approval information or when setting Approval Permission Groups will be one of the following change types:

- **Add:** Creating a new Group, Zone, Record, or Server
- **Delete:** Deleting a Group, Zone, Record, or Server
- **Update:** Any change to an item that isn't Add, Delete, or Push - such as a settings change, renaming, or entering a value in a field.
- **Push / BackgroundPush:** DNS Server Pushes - manual or scheduled

It is important to note that Action types in Approvals is related-to-but-different than CRUD permissions as set in User groups - although the "Add" Action type and "Create" CRUD permission seem the same, the action type "Add" only applies to *a specific event* occurring, rather than a holistic overarching system-level permission. In order to perform a certain Approval Action Type, a user must already have the CRUD permissions to attempt it. The CRUD permissions determine whether the user can even view an area or attempt an action to begin with, Approvals Policies on Action Types determine what is done with the Action *after* the attempted change.

Further fine-tuning of the action types for permissions is done by selecting the combination of "Family" (type of DNS item) with the Action Type. DNS Families include DNS Servers, DNS Groups, DNS Zones, and DNS Records. Each type of action can be performed on each family, so when setting up Approval Permission Groups you may choose to set the policy for the entire Family (ex: "All DNS Group actions"), Action (ex: "Add actions for all DNS Families"), or just a specific combination (ex: "Only DNS group Delete").

User Groups

Approvals uses ProVision [User Groups](#) to determine which users must have a change approved, denied, or can approve others' actions. Therefore, User Groups must be set up with the appropriate users and basic permissions under each group before using Approvals. For information on setting up User Groups and how the basic permissions structure works in ProVision, see [Users & Permissions](#), [Global Permissions](#), and [Working With Users and Groups](#).

Before using Approvals, a review of your user and User Groups is highly recommended to ensure the following:

- That administrators who will be approving change requests are included in a Global Admin (TLR level + Admin) group, in order to access the "Approvals" tab and perform Approve/Reject responses.
- That users included under the same User Groups are similar in terms of what types of tasks they perform and what level of Approval oversight is needed.
 - Example: If "Group A" consists of seven users - four who will need all Add and Delete actions approved, two who do not, and their manager (who will approve their actions)- you may need to move those users under three groups: 1) A group for those requiring action approvals, 3) a group for the users not requiring approvals, and 3) the manager associated with a Global Admin group in order to access Approvals.
- That any user that will be performing DNS Actions with Approvals are in a User Group with appropriate 'resource' CRUD permissions to perform the actions subject to approval.
 - Example: If a user needs zone creations approved, ensure that they have (at the very least) "Create" and "Read" resource permissions so that they can view DNS information and create a zone!
- Consider limiting groups associated with Approvals to *only* those users relevant to the Approvals system, especially if using Approval Notifications. Approval Change Notifications are emailed to all users of the associated User Group - not just the submitter / approver. Be conscientious of colleagues' email boxes and consider which users may not appreciate being included with notifications.

Sample Group Scenarios

Below are a couple of sample scenarios to illustrate common Approval situations, with example notes on Approval Settings.

Scenario 1: One Approver Group, with Restricted Actions

One Admin group and two DNS worker groups with different levels (high - low) of oversight needed, with restrictions set for particular Action types.

Group 1A (Admin)	Group 1B	Group 1C
------------------	----------	----------

<ul style="list-style-type: none"> Global Admins (Full TLR User Group Perms + Admin) All Admins in this group can approve any change requests It doesn't matter which Admin user approves a request <p>Approval Group Settings:</p> <ul style="list-style-type: none"> Set to policy "Must Approve" for all DNS Family / Action types Tip: Click the quick select checkbox next to each DNS Family name to select all actions under that family 	<ul style="list-style-type: none"> Users with minimal oversight Can work fully in all DNS family areas Only needs admin approval for DNS Pushes <p>Approval Group Settings:</p> <ul style="list-style-type: none"> Set to policy "Action to be Approved" for "Push" and "Background Push" actions only, under each DNS Family in Group Assignment 	<ul style="list-style-type: none"> Users with high oversight Not allowed to Add or Delete any DNS item Needs admin approval for all DNS Push and Updates <p>Approval Group Settings:</p> <ul style="list-style-type: none"> Set to policy "Deny" for "Add" and "Delete" actions under each DNS Family; save Open again, select "Update" and "Push / Background Push" actions under each DNS family, and set the policy to "Action to be Approved"; save.
---	--	--

Expand the following link to view example images of setting the assignments for all three groups:

These examples use the "Assign" button for the Group under the [Approvals Permission Groups](#) sub-tab, Groups page.

Scenario 1

Group A:

Group Assignment: Test Group A

Select one or more items from the checklist to apply a change policy to this Group.

Family/Action

☒ DNS Servers
 ☒ DNS Records
 ☒ DNS Zones
 ☒ DNS Groups

Policy

Must Approve Action

Users in *Test Group A* may approve or deny change requests submitted for the selected Family / Action(s), for any Group requiring "Action to be Approved" for the action(s).

Assign

Close

Group B:

Group Assignment: Test Group B

Select one or more items from the checklist to apply a change policy to this Group.

▼ ☐ DNS Zones

- ☐ DNS Zone Add
- ☐ DNS Zone Update
- ☐ DNS Zone Delete
- ☒ DNS Zone Push
- ☒ DNS Zone Background Push

▼ ☐ DNS Groups

- ☒ DNS Group Background Push
- ☒ DNS Group Push
- ☐ DNS Group Delete
- ☐ DNS Group Update
- ☐ DNS Group Add

Policy

Action to be Approved

Users in *Test Group B* will have the actions selected above submitted to Pending Approvals for the change to be approved or denied. A second Permission Group must exist with the "Must Approve Action" policy assigned that includes the selected Family / Action(s) for the submittal to succeed.

Assign

Close

Group C, Deny Policy:

Group Assignment: Test Group C

Select one or more items from the checklist to apply a change policy to this Group.

▼ ☐ DNS Zones

- ☒ DNS Zone Add
- ☐ DNS Zone Update
- ☒ DNS Zone Delete
- ☐ DNS Zone Push
- ☐ DNS Zone Background Push

▼ ☐ DNS Groups

- ☐ DNS Group Background Push
- ☐ DNS Group Push
- ☒ DNS Group Delete
- ☐ DNS Group Update
- ☒ DNS Group Add

Policy

Deny

Users in *Test Group C* will have the actions selected above automatically denied at an attempted change. .

Assign

Close

Group C, Action to be Approved Policy:

Group Assignment: Test Group C

Select one or more items from the checklist to apply a change policy to this Group.

▼ ☐ DNS Zones

- ☐ DNS Zone Add
- ☒ DNS Zone Update
- ☐ DNS Zone Delete
- ☒ DNS Zone Push
- ☒ DNS Zone Background Push

▼ ☐ DNS Groups

- ☒ DNS Group Background Push
- ☒ DNS Group Push
- ☐ DNS Group Delete
- ☒ DNS Group Update
- ☐ DNS Group Add

Policy

Action to be Approved

Users in *Test Group C* will have the actions selected above submitted to Pending Approvals for the change to be approved or denied. A second Permission Group must exist with the "Must Approve Action" policy assigned that includes the selected Family / Action(s) for the submittal to succeed.

Assign

Close

These settings may also be set by Action Type instead of Group, from the [Approvals](#) **Permission Groups** sub-tab, Actions page.

Scenario 2: Multiple Approver Groups/Specific user, with Restricted Families

Two Admin approval groups exist: One general Approver group that can approve any action type, and a second Group containing one person, Bob, who must sign off on any action taken under DNS Groups.

Group 2A (Admin Approvers)	Group 2B (Admin Approver Bob)	Group 2C
<ul style="list-style-type: none">Global Admins (Full TLR User Group Perms + Admin)All Admins in this group can approve any change requestsIt doesn't matter which Admin user approves a requestDNS Group changes require multiple levels of oversight- from both this group and Bob <p>Approval Group Settings:</p> <ul style="list-style-type: none">Set to policy "Must Approve" for all DNS Family / Action typesTip: Click the quick select checkbox next to each DNS Family name to select all actions under that family	<ul style="list-style-type: none">Global Admins (Full TLR User Group Perms + Admin)Only contains one user - Bob, who specifically <u>must</u> approve of any change to DNS Groups <p>Approval Group Settings:</p> <ul style="list-style-type: none">Set to policy "Action to be Approved" for "Push" and "Background Push" actions only, under each DNS Family in Group Assignment	<ul style="list-style-type: none">Full Access throughout DNSNot allowed to work with DNS Servers, even if they might have admin level access otherwiseChanges to DNS Groups and DNS Records require approval <p>Approval Group Settings:</p> <ul style="list-style-type: none">Set to policy "Deny" after quick-selecting the DNS Servers Family; saveOpen again, quick-select the "DNS Groups" and "DNS Records" families, then set the policy to "Action to be Approved"; save.

Approval Workflows

Initial Setup

The high level process to use when first setting up approvals is as follows:

1. Review User Groups and Approval Process Needs

Step 1 - Review Existing User Groups and Process Needs

When setting up Approvals for the first time, review the information in the previous section under "Approvals Fundamentals" to ensure a basic understanding of how Policies, Actions, and User Groups relate together in Approvals.

Then, take a few minutes to think about the following questions to get a better sense of how to use Approvals with your specific organization:

Who are the users that perform DNS tasks, and at what level?

Affects which users should be included in what User Groups

What ProVision User Group(s) are they in?

Approvals settings are applied to the User Group, not individuals - ensure users with similar oversight needs are grouped together

What actions made by a certain user group should be automatically denied, if any?

Assign the "Deny" policy to that Action/User Group combination

What actions made by a certain user group should require oversight (admin approval / rejection)?

Assign "Action to be approved" to that Action/User Group combination

Who is the admin / User Group that will make the final approval on a change?

Ensure the approver(s) is in a User Group with the "Must Approve" policy assigned for the actions requiring approval

Should any changes require multiple admins / User Groups to approve it in order to execute?

A single user from every group assigned with "Must Approve" for the action must approve the action for it to succeed

If two admins are required to both separately agree on a change, they should be under two separate User Groups assigned "Must Approve"

What User Groups would need to receive email Approval Status notifications, and on what type of actions?

Affects whether to enable notifications and set up the scheduler task to send the notifications, and to what User Groups. When enabled, all users of the relevant group(s) will receive the email(s)

Once your User Groups are optimized for use with Approvals, you may want to write down a quick note on which Action Types and policies are planned for each group.

2. Edit User Groups / Create Approvals-Specific User Groups, if needed

Step 2 - Add or Edit ProVision User Groups

From here, depending on the answers to the questions in step 1, you may need to do one or more of the following from the [Users](#) tab:

- a. Edit existing User Groups to add or remove users, in order to combine users who will need similar action types approved.
- b. Verify the User Groups have appropriate CRUD permissions set to perform the action(s) to be approved (e.g. you may have previously removed "Create" permissions for a group, but if the intent is now for those users to have "Add" actions approved by an Admin, the submitter will need User Group resource "Create" permissions back!)
- c. Create new User Groups specifically for use with Approvals (recommended)
- d. Associate users with different, or additional User Groups (remember - users can be associated with multiple groups!)

For more information on adding and editing ProVision User Groups, see [Users & Permissions](#), [Global Permissions](#), and [Working With Users and Groups](#).

3. Assign Action and Policy Settings to User Groups

Step 3 - Assign Approval Action Settings to Groups

From the [Approvals](#) Tab, navigate to the **Permission Groups** sub-tab.

The screenshot shows the 'Approvals' section with the 'Permission Groups' sub-tab selected. The 'Groups' tab is also highlighted. The 'Permission Groups' header shows 8 groups. A table lists the groups with columns: IT Name, IT Enabled, IT Users, Last update, and Actions. The 'Global Admins' group is listed with 'yes' for IT Enabled, 5 users, and a last update of 2013-Sep-09 20:38:28. An 'assign' button is visible in the Actions column.

IT Name	IT Enabled	IT Users	Last update	Actions
Global Admins	yes	5	2013-Sep-09 20:38:28	assign

Then, under the **Groups** page tab, find the ProVision User Group you wish to want to assign a policy to and click "Assign".

The screenshot shows the 'Groups' page tab. The 'Permission Groups' header shows 8 groups. A table lists the groups with columns: IT Name, IT Enabled, IT Users, Last update, and Actions. Three groups are listed: 'Test Group C', 'Test Group B', and 'Test Group A'. Each group has an 'assign' button in the Actions column.

IT Name	IT Enabled	IT Users	Last update	Actions
Test Group C	yes	0	2019-Mar-13 18:12:00	assign
Test Group B	yes	1	2019-Feb-12 15:07:17	assign
Test Group A	yes	1	2019-Feb-12 15:07:00	assign

Clicking the "Assign" button for a group brings up a checklist to select what policy to apply to the group for what Family and Actions (i.e. DNS Zone 'Add' or DNS Group 'Update'). You can "quick-select" all actions for a DNS Family (Severs, Groups, Zones, Records) by clicking the checkbox next to the family name, or only select individual action types for each Family.

Group Assignment: Test Group B

Select one or more items from the checklist to apply a change policy to this Group.

☐ **DNS Zones**

- ☐ DNS Zone Add
- ☐ DNS Zone Update
- ☐ DNS Zone Delete
- ☒ DNS Zone Push
- ☒ DNS Zone Background Push

☐ **DNS Groups**

- ☒ DNS Group Background Push
- ☒ DNS Group Push
- ☐ DNS Group Delete
- ☐ DNS Group Update
- ☐ DNS Group Add

Policy

Action to be Approved

Users in *Test Group B* will have the actions selected above submitted to Pending Approvals for the change to be approved or denied. A second Permission Group must exist with the "Must Approve Action" policy assigned that includes the selected Family / Action(s) for the submittal to succeed.

[Assign](#) [Close](#)

Once you've selected the applicable Family/Action combinations to apply a policy for, select either "Deny", "Action to be Approved", or "Must Approve Action" under Policy.

When done, Click "Assign", and repeat as needed for other Policy types or User Groups.

- If using Approvals notifications, enable notifications for the appropriate Permissions Group(s)

Step 4 - Enable Notifications (Optional)

From the [Approvals](#) Tab, navigate to the **Permission Groups** sub-tab **Groups** page tab.

IPAM Admin - VLAN Admin - Data Import - Users - API - Scheduler - Log - Approvals - Exit Admin

Search or type help

Approvals [Pending Approvals](#) [Permission Groups](#)

Actions & Permissions


[Groups](#) [Actions](#)

Permission Groups 0

Filter by group...

IT Name	IT Enabled	IT Users	Last update	Actions
Global Admins	yes	5	2013-Sep-09 20:38:28	assign

Click on the group name for which you want to set notifications - the Group Permissions Detail page will provide additional information on the group's settings.



For any Family/Action that you want to enable notifications, click the checkbox under "Enable Notifications". All users of that group will get email notifications when a change of the selected type(s) are made.

- If using Approvals notifications, set up a Scheduler task for "Approvals - Process Subscription"

Step 5 - Add Scheduler Task: "Approvals - Process Subscription"

The "Approvals - Process Subscription" task processes approval request events and handles the sending of notification emails to subscribed Approvals Groups - this task must be created and running on a regular interval in order for Approval Notification emails to be sent.

In order to receive the most up to date information in the Approval Notifications, is recommended to create this task with a run time of "every 5 minutes" and no end date.

For information on setting up Scheduler Tasks, see [Scheduler Tab](#).

- Set up a Scheduler Task for "Approvals - Delete events older than 1 month", to occasionally clear out old and obsolete Approval request events

Step 6 - Add Scheduler Task: "Approvals - Delete events older than 1 month"

The "Approvals - Delete events older than 1 month" task deletes any Approvals history events older than 30 days.


It is recommended to set this task to run monthly with no end date, to clear out obsolete approvals items, reduce data storage space needs, and reduce approvals page load time.

For information on setting up Scheduler Tasks, see [Scheduler Tab](#).

Daily Use

On a day-to-day basis after initial setup, an Approvals Workflow will be similar to the following (with "Submitter" as the user whose actions require approval, and "Approver" as the admin with the ability to approve/reject the change):

- Submitter makes an action (either by action type or DNS Family) that requires approval
- Submitter is notified that their action is pending approval



- The requested change is sent to the [Approvals](#) Tab **Pending Approvals** list, and also to the [DNS Resources Awaiting Approval](#) module (the submitter may see their own submitted action under "Resources awaiting approval", but only Approvers can take approve/reject actions)

The **Pending Approvals** list is under the **Approvals** Tab. It shows Approvals events (change requests) for which the user has the ability to Approve or Deny - it does not show approval requests for all of ProVision or those for other users.

Approvals Pending Approvals Permission Groups

Actions & Permissions

0 pending items selected.

Pending Approvals 0

Filter by Action: none Search...

ID	IT Name	IT Family	IT Action	IT Updated	IT Submitted by	Options
14629	test6.	DNS Zones	DELETE	2019-Feb-12 14:49:47	limited@6connect.com	Approve Reject
14630	A New DNS Group	DNS Groups	ADD	2019-Feb-12 14:50:27	limited@6connect.com	Approve Reject
14631	Example Group	DNS Groups	UPDATE	2019-Feb-12 14:51:21	limited@6connect.com	Approve Reject
14632	somezone.com.	DNS Zones	ADD	2019-Feb-12 14:59:59	limited@6connect.com	Approve Reject
14633	2abczone.com.	DNS Zones	BACKGROUND PUSH	2019-Feb-12 15:00:29	limited@6connect.com	Approve Reject

A "Resources Awaiting Approval" module will display in selected DNSv3 pages to Users with Admin / Approval permissions, if a change has been submitted on that page that is pending approval by the User's Approval Group.

DNS Groups List Add Group

DNS Groups help you to organize all of your Zones and Servers together into a single place. With Groups, you are able to push whole group configurations.

Resources Awaiting Approval

Approval Action	Name	Resource Data	Approval Info	Actions
Add	A New DNS Group	Details Resource of type dnsview)	Submitter : limited@6connect.com	Approve Reject
Update	Example Group	Details Resource of type dnsview)	Submitter : limited@6connect.com	Approve Reject

Default Group

DNS Zones Add Zone Push Group Schedule Push Export Zones Perms

Resources Awaiting Approval

- The Approver reviews the change in either their **Approvals** Tab **Pending Approvals** list, or the **DNSResources Awaiting Approval** module, and chooses to Approve or Reject the change:

Actions & Permissions

2 pending items selected. Approve all Reject all

Pending Approvals 5

Filter by Action: none Search...

ID	IT Name	IT Family	IT Action	IT Updated	IT Submitted by	Options
14629	test6.	DNS Zones	DELETE	2019-Feb-12 14:49:47	limited@6connect.com	Approve Reject
14630	A New DNS Group	DNS Groups	ADD	2019-Feb-12 14:50:27	limited@6connect.com	Approve Reject
14631	Example Group	DNS Groups	UPDATE	2019-Feb-12 14:51:21	limited@6connect.com	Approve Reject
14632	somezone.com.	DNS Zones	ADD	2019-Feb-12 14:59:59	limited@6connect.com	Approve Reject
14633	2abczone.com.	DNS Zones	BACKGROUND PUSH	2019-Feb-12 15:00:29	limited@6connect.com	Approve Reject

- If Approved, and no other groups need to approve it, then the change executes and is saved. A status change notification email is sent, if enabled.
- If Approved, and is waiting approval from an additional User Group, the change continues to be held as Pending, until the other group responds (Both groups must "Approve" for the change to execute). A status change notification email is sent, if enabled, stating that the change is awaiting another Group.
- If Rejected, the change is not executed. A status change notification email is sent, if enabled.

Example Notification Email:

Approval Request Status Change

LOG #106986 / Approval ID - #14528

A status change has occurred for which you are subscribed to receive notifications:

Request:

DNS Zone Delete on [2abczone.com](#).

Status:

Rejected by user ops@6connect.com (*Global Admins*) on 2019-02-12 13:17:54

This notification has been sent to all members of the group "QA Limited Resource Perms".

Additional Information

See the following areas for more information on Approvals and using Approvals with DNS:

- [DNS Tab](#)
- [Pending Approvals](#)
- [Permission Groups](#)
- [Scheduler Tab](#)