

Reporting

Reporting

The ProVision **Reporting** tab provides reports for IPAM, Peering, DNS, Users, Resources, and DHCP.



Reports and User Permissions

Admin level users ("Admin" permissions on TLR) may view all data in all reports, as well as perform report actions such as creating, editing, copying, and deleting reports.

Non-admin / Limited permission users may view reporting, but will only be shown the data/modules for which they have permissions to view. Non-Admin users may not create, edit, copy, or delete reports.

The screenshot displays the ProVision Reporting interface. At the top, there's a navigation bar with tabs for Dashboard, Resources, DNS, DHCP, IPAM, Peering, and Reporting. Below this, a sub-navigation bar shows buttons for Reports, IPAM, Peering, DNS, Users, Resources, and DHCP, along with an 'Add Report +' button. The main content area is divided into three sections:

- IPAM Saved Reports:** A table listing reports with columns for Report Name, Description, Last Modified, Last Loaded, Owner, and Actions. Reports include 'Default Utilization', 'Default Utilization - 30 days', '6connect Labs', and 'Some IPAM Report'.
- Runout Saved Reports:** A table listing reports with columns for Report Name, Description, Last Modified, Last Loaded, Owner, and Actions. The report shown is 'Default Runout - All types'.
- IPAM Report View:** A section for viewing a specific report, 'Default Utilization'. It includes options to 'export to CSV', 'PDF', and 'actions +'. Below this are two bar charts: 'IPv4 Swipped / Non-Swipped By RIR' and 'IPv6 Swipped / Non-Swipped By RIR'. The IPv4 chart shows data for ARIN (175), APNIC (3), RIPE (161), and LACNIC (35). The IPv6 chart shows data for APNIC (35), ARIN (279), LACNIC (116), and RIPE (1).

To view reports for ProVision modules (IPAM, Peering, DNS, Users, and Resources), click on the applicable sub-tab button at the top of the page, or select it from the **Reporting** Tab dropdown menu.

- Reporting
 - Reporting Overview
 - Report Permissions, Ownership, and Coordination
 - Available Reports
 - IPAM Utilization Reports
 - IPAM Runout Report
 - Peering Reports
 - DNS Reports
 - User Reports
 - Resource Reports
 - DHCP Server Report

- DHCP Pools Report
 - Additional Information

Reporting Overview

Reporting v2, accessible to users from the [Reporting](#) tab, contains reports for five ProVision modules - IPAM, Peering, DNS, Users, Resources, and DHCP.

Default reports are available for each module sub-tab, and users may create their own customized report from the existing templates. Once created, reports may be exported on-demand, or have exports scheduled to be sent to a user at regular intervals.

Reporting Features

- Thirteen default system reports for IPAM, Peering, DNS, Users, Resources, and DHCP
- Customizable user-created reports
- IPAM Utilization, Runout, and Peering Status charts
- Export reports to .csv and/or pdf
- Schedule reports to be emailed at selected intervals
- Safely view existing reports and apply filters without overwriting saved report settings, or chose to permanently save changes.
- Copy existing reports to use as editable templates
- IPAM reports include integration with IPAM metacolumn data and IPAM Column settings

Report Permissions, Ownership, and Coordination

In Reporting v2, any admin user may view, manage, and edit any individual report. Default reports will display with "System" as the owner, and may be viewed, edited, and copied, but are not deletable.

User-created reports will display with the creator's username in the owner field, and are able viewed, deleted, edited and copied. Report "ownership", as a concept, only extends to displaying the creator of the report - there are no report actions that are "locked" to any specific user or access restrictions in place per report, outside of the normal viewing permissions.

Although it is possible to edit and save both default reports and reports created by other users, it is recommended to either coordinate the changes with the report's owner, or create a new copy of the existing report to use for modifications.



Report Editing Etiquette

You may view existing reports at any time, including freely adjusting and applying filters on a temporary basis (by selecting filters clicking Apply) as well as immediately export those results, without overwriting the existing report filter settings.

However, *saving* new filter settings to an existing report (by applying the new filters -> Gear Icon Save) **permanently** overwrites the report's default filter settings.

Before saving changes to an existing report, it is recommended to perform some basic due diligence:


- If you are not the report's owner, confirm the report edit with the report owner prior to saving
- If there is a user listed as receiving scheduled exports of that report under Schedule Report Settings, verify that the report change will not negatively impact the planned use of the scheduled report(s).

Best Practices:

- Use the report Copy function whenever you are unsure of ownership or scheduled report repercussions
- If you only need a one-time export, temporarily adjust the filters on a default or existing report, and use the "Export to .csv/pdf" button
- Use the report's description field to communicate details, status, and restrictions to other users (such as "Do not edit - Report used for monthly status comparisons by Bob")

Available Reports


IPAM Utilization Reports



IPAM Utilization reports display IPv4/IPv6 utilization charts organized by RIR and SWIP status, and provide a listing of ProVision blocks meeting the applied filter criteria. The report view includes the block data for all applied IPAM Columns, in the order set under [IPAM Admin](#) [IPAM Columns](#) . IPAM Reports may be exported to .csv (limit: 100,000 records; no chart provided) or PDF (limit: 1000 records; chart included). Default reports include:

- [Default Utilization](#): IPAM utilization report for all aggregates
- [Default Utilization - 30 days](#): IPAM utilization report for all aggregates assigned in the past 30 days

IPAM Runout Report




The IPAM Runout Report displays IPv4/IPv6/1918 assigned/allocation pie charts, and lists available/assigned host statistics and projected runout for the selected block type(s) and region(s).

The Default report include:

- Default Runout - All Types: IPAM Runout report for all block types and regions.

Peering Reports



Two new peering report types are available - Peering Health and Peering Status. Peering Health reports display the sessions existing in ProVision, with the associated fields of Router Name, Peer Name, IP, Session Type, Session State, Peer Group, and session Created Date. Peering Status reports are set per-exchange, and display pie charts for Peer Status/Qualification Status, as well as a data table of the Peer Name, Request Status, Peer Status, Qualification Status, Message Count, and Last Message Time.

All Peering Reports may be exported to .csv (limit: 100,000 records; no chart provided). Default reports include:

- Default Peering Health Report: Displays the peering session state for all currently existing sessions in ProVision
- Default Peering Status: Displays Peer, Request, and Qualified status for the default (first available) exchange in ProVision

Peering Health Saved Reports

Report Name	Description	Last Modified	Last Loaded	Owner	Actions
Default Peering Health Report	Peering Session State	2020-02-06 11:31:36	2020-02-07 12:10:26	System	View Edit Copy
Peer - Apple	Apple Peering Health Report	2020-02-07 12:11:26	2020-02-07 12:11:22	ops@6connect.com	View Delete Edit Copy

Peering Status Saved Reports

Report Name	Description	Last Modified	Last Loaded	Owner	Actions
Default Peering Status Report	Peer and Request Status for the Default Exchange	2020-02-06 11:31:36	2020-02-07 12:09:54	System	View Edit Copy

Peering Report View

Peer - Apple

export to CSV

actions +

filter >

1

Name	Peer name	IP	Type	Public name	State	Peer group	Created
lab1-juniper	Apple Inc	198.32.176.237	Peer	Equinix Palo Alto	Idle	equinix-palo-alto-v4	11/7/2014 - 8:28:59 PM
lab1-juniper	Apple Inc	2001:504:d::714:1	Peer	Equinix Palo Alto	Idle	equinix-palo-alto-v6	11/7/2014 - 8:29:27 PM

DNS Reports

DNS Zones Saved Reports

Report Name	Description	Last Modified	Last Loaded	Owner	Actions
Default DNS Zones	All DNS zones	2020-02-06 11:31:36	2020-02-06 11:31:36	System	View Edit Copy
Default DNS Zones - 30 Days	All DNS zones updated within the past 30 days	2020-02-06 11:31:36	2020-02-06 11:31:36	System	View Edit Copy
123 Labs	123 Zones	2020-02-07 12:25:39	2020-02-07 12:24:57	ops@6connect.com	View Delete Edit Copy

DNS Zone Report View

123 Labs

export to CSV

actions +

filter >

1

Zone ID	Zone name	Last modified	Type	Records
3821	test123456.com.	7/16/2017 - 9:56:43 PM	forward	0
3871	test123456.com.	7/16/2017 - 9:56:44 PM	forward	0
3910	testing123.com.	7/16/2017 - 9:56:45 PM	forward	0
3985	somezone1234.com.	7/16/2017 - 9:56:46 PM	forward	0
3998	connect12345.com.	7/16/2017 - 9:56:46 PM	forward	0
4009	test123456.com.	7/16/2017 - 9:56:46 PM	forward	0
4023	cnn1234.com.	7/16/2017 - 9:56:47 PM	forward	0
4092	testing1234567.com.	7/16/2017 - 9:56:48 PM	forward	0
4393	1234tiempo.net.	8/28/2018 - 3:12:45 PM	forward	2

DNS Zone reports provide a list of zones existing in ProVision, along with the fields of Zone ID, Name, Last Modified Date, Forward/Reverse Type, and Record Count information. DNS Zone Reports may be exported to .csv (limit: 100,000 records). Default reports include:

- Default DNS Zones:** All DNS zones in ProVision
- Default DNS Zones - 30 days:** All DNS zones in ProVision modified within the past 30 days

User Reports

User Activity Saved Reports

Report Name	Description	Last Modified	Last Loaded	Owner	Actions
User Activity - 30 Days	Activity report for all users over the past 30 days	2020-02-06 11:31:36	2020-02-07 14:08:41	System	View Edit Copy
All Users - Year To Date	Activity report for all users since the beginning of the year	2020-02-06 11:31:36	2020-02-07 14:37:26	System	View Edit Copy

User activity Report view

User Activity - 30 Days export to CSV actions + filter >

1 2 3 4 5 6 7 8 9 10 11 12 13 14

Time	User	IP	Log level	Action
2/13/2020 - 6:23:30 PM	test@connect.com	96.35.59.123	Warning	Could not find field_type of field 510
2/13/2020 - 6:23:30 PM	test@connect.com	96.35.59.123	Warning	Could not find field_type of field 509
2/13/2020 - 6:23:30 PM	test@connect.com	96.35.59.123	Informational	User test@connect.com accessed password id #620 on resource TLR.
2/13/2020 - 6:23:28 PM	Unknown	96.35.59.123	Informational	test@connect.com logged in via local authentication
2/13/2020 - 6:23:28 PM	Unknown	96.35.59.123	Informational	Session timeout.

Users reports provide a listing of ProVision log events associated with user actions. Provided fields include the Timestamp, User, IP, Log Level, and the Action, and the report may be filtered to include one or more users / user groups, as well as basic data filters. User Reports may be exported to .csv (limit: 100,000 records). Default reports include:

- [Default User Activity - 30 days](#): All ProVision user activity within the past 30 days
- [Default User Activity - Year to date](#): All ProVision user activity for the current calendar year (ISO Standard/Gregorian calendar)

Resource Reports

Resources Saved Reports

Report Name	Description	Last Modified	Last Loaded	Owner	Actions
Customer List Report	Default customer report	2020-02-06 11:31:36	2020-02-07 11:49:58	System	View Edit Copy
Default Resource Report	All Resource Entries	2020-02-06 11:31:36	2020-02-07 11:49:54	System	View Edit Copy
123 Labs Resources	Lab Category Resources	2020-02-07 13:02:09	2020-02-07 13:01:24	ops@connect.com	View Delete Edit Copy

Resource Report View

Customer List Report export to CSV actions + filter >

1 2 3

Name	Hostname	Country	State	City	Zip	Street 1	Street 2	ARIN POC Id	Registrar Public Name	Abuse POC	Code	City	Country	State	Street 1	Street 2	Zip	Company Name	Net POC	ns1
172 River St Assoc LLC											RVSAIN TALBALB.00001	Troy	NY		172 River St.		12180	172 River St Assoc LLC	FT-Albany	
1C-Capital Properties LLC											1COMINTHARHAR.00045	Hartford	CT		1 Constitution Plaza		61030	1C-Capital Properties LLC	FT-Hartford	
1C-NE Ortho											ALBIP20754	Albany	NY		121 Everett Road		12205	1C-NE Ortho	FT-Albany	
1Com-NYS Motor Truck Asso											ALBIP20708	Albany	NY		828 Washington Ave.		12203	1Com-NYS Motor Truck Asso	FT-Albany	
SLinx											SLXENTROCRQC.00001	Rochester	NY		275 Kenneth Dr		14623	SLinx	FT-Rochester	
8awsome																				
8connect Labz	server1.8connectlabs.com	US	CA	San Jose	94076-125	G2873 Main Street						San Francisco	US	CA	123 Main St		95612			
7connect Labs													Jamestown	US	AZ	123 Maple Street	Floor 4	65273		dns1.7connect.o
A and E Television											AETINTSTMTSTM.00001	Stamford	CT		250 Harbor Dr		69020	A and E Television	FT-Stamford	

Resource reports provide a list of all (non-DNS) ProVision resources, and field data from the Contact, Billing, Tech Info, and Resource Field Gadget(s) associated with the resource. The report may be filtered to include one or more Sections or Categories, as well filtered by resource name. Resource Reports may be exported to .csv (limit: 100,000 records). Default reports include:

- **Customer List Report:** ProVision resources which are of the "Resource Holder" Section and "Customer" Category.=
- **Default Resource Report:** All ProVision resource entries - matching resources listed in the [Resource](#) Tab -> Entries page list, and all applicable resource fields
 - TIP: Due to the large scope of the ProVision resource system and its fields, we strongly recommend using the Default Resource Report as starting template from which to further define more specific resource reports. Simply "Copy" the Default Resource Report, apply your desired Section/Category filter combination(s), and click the Gear Icon Save to create a more manageable data set.



Note: The number of entries able to be exported limited to 100,000 rows for .csvs, and 1000 rows for IPAM pdfs. If more rows are needed, the ProVision API may be used to retrieve larger datasets.

DHCP Server Report

DHCP Server Report view									
Default DHCP Server export to CSV actions + filter >									
Page 1 from 1									
Name	ID	Groups	Server	Type	IP Type	Parent	IPv4	IPv6	Last updated
6c QA DHCP Server	210523	Default Group, QA Group	test-tools-fmt.6connect.com	ISC	ipv4	TLR	12289	0	6/26/2020 8:02:10 PM

The DHCP Servers Report displays existing DHCP servers in ProVision, associated statistics, and last updated time. The DHCP Servers report can be filtered by Name, Domain, or by last modified date.

Default reports include:

- **Default DHCP Server Report:** All ProVision DHCP Servers, with no additional filters applied.

DHCP Pools Report

IM - 3705 b: Added the DHC Pools Report type to the Reporting Tab.

DHCP Pools Saved Reports					
Report Name	Description	Last Modified	Last Loaded	Owner	Actions
Default DHCP Pool	Default DHCP Pool Report	2020-07-07 00:05:33	2020-07-07 00:05:29	System	View Edit Copy

DHCP Pool Report view									
Default DHCP Pool export to CSV actions + filter >									
Page 1 from 1									
Server	ID	Name	Type	Range min	Range max	IP	MAC	Groups	Last updated
6c QA DHCP Server	210463	somepool	subnet	172.27.80.1	172.27.95.254	-	-	-	6/17/2020 3:22:00 PM
6c QA DHCP Server	210464	somepool2	subnet	172.27.96.1	172.27.111.254	-	-	-	6/17/2020 3:24:04 PM
6c QA DHCP Server	210525	testpool	subnet	172.31.144.1	172.31.159.254	-	-	-	6/26/2020 2:19:01 PM
6c QA DHCP Server	210526	testhost	host	10.124.5.5	10.124.5.3	10.124.5.4/32	00:11:22:33:44:55	-	6/26/2020 2:19:20 PM

The DHCP Pools Report displays existing DHCP Pools in ProVision, type, ranges, IP/MAC, associated groups, and last updated time.

The DHCP Pools Report can be filtered by DHCP Server(s), name, type, or by last modified date.

Default reports include:

- [Default DHCP Pool Report](#): ProVision DHCP Pools for the default server(s), both subnet and hosts, with no additional filters applied.

[Additional Information](#)

For more information on performing specific tasks in reporting, see:

- [Working with Reports](#)