


Theming

Theming



In addition to the standard Light / Dark Mode themes available in ProVision, several methods are available to customize the entire product, allowing for additional company branding and fine control over what areas of the product are visible and what are not.

Theming Customization includes:

- Changing the instance logo and brand name
- Customizing the visible tabs or subtabs instance-wide
- Creation of fully custom themes to match company branding

Note: Theming customization requires read/write access on the instance's "assets" directory, and experience using vi or another text editor of your choice to edit options.

Creating a custom theme requires strong CSS knowledge, as well as access and write permissions to your instance's "assets" directory

Table of Contents

- [Theming Overview](#)
 - [Overview of menu.json](#)
- [Navigation Customization](#)
 - [Customize the Instance Logo / Name](#)
 - [Custom Navigation Menu Visibility](#)
- [Theme Customization](#)
 - [Changing Themes](#)
 - [Create a Custom Theme](#)

Theming Overview

GUI themes can be set on a per-user level, including the much-requested "dark mode" to help alleviate eyestrain.

In addition, we provide several methods of customizing the entire product, which will allow for additional company branding and fine control over what areas of the product are visible and what are not.

Sub-features included under Theming include:

- Customizing the instance logo and name
- Custom Navigation Menu Tab Visibility
- Standard Dark / Light Mode Themes
- Custom Themes

Overview of menu.json

Customization of the images, names, tabs, and subtabs displayed in the navigation bar is handled through the menu.json customization file, located in your instance's "assets" directory, at: "/var/www/html/[instance name]/assets".

Access menu.json by navigating to the assets directory:

```
cd /var/www/html/[instance name]/assets
```

```
/var/www/html/qa-8.0.0-obf$ cd assets
/var/www/html/qa-8.0.0-obf/assets$ ls
d.js logo.png menu.json panda.png topbar-logo.png
/var/www/html/qa-8.0.0-obf/assets$
```

You may open the menu customization file, "menu.json" in vi, or another text editor:

```
sudo vi menu.json
```

```
/var/www/html/qa-8.0.0/assets$ ls
d.js logo.png menu.json topbar-logo.png
/var/www/html/qa-8.0.0/assets$ sudo vi menu.json
```

When you view menu.json, tabs and their drop down sub-menu options are visible in a hierarchy organized by menu type.

The top level of menu.json contains instance-wide settings for:

- brandName - displayed company name
- brandImage - logo image
- brandUrl - default page at login
- showCurrentReplicaServer- displays a small banner with the server hostname to which ProVision is currently connected

Below the instance wide settings are three top-level menu groupings, each containing their relevant tabs, subtabs, and menu settings.

```

{
  "brandName": "company ",
  "brandImage": "assets/topbar-logo.png",
  "brandUrl": "dashboard/",
  "showCurrentReplicaServer": false,
  "footer_menu": [
    {
      "name": "Settings",
      "visibility": true,
      "url": "#",
      "children": [
        {
          "name": "Admin",
          "scope": "admin",
          "visibility": true,
          "url": "admin/admin.php"
        }
      ]
    },
    {
      "name": "Help",
      "visibility": true,
      "url": "#",
      "children": [
        {
          "name": "Documentation",
          "visibility": true,
          "url": "https://www.pivotaltracker.com"
        },
        {
          "name": "Contact Support",
          "visibility": true,
          "url": "mailto:cs@pivotal.com"
        }
      ]
    }
  ],
  "menubar": [
    {
      "scope": "dashboard",
      "name": "Dashboard",
      "visibility": true,
      "url": "dashboard/"
    },
    {
      "scope": "resources",
      "name": "Resources",
      "visibility": true,
      "url": "resources/"
    }
  ]
}
"menu.json" 448L, 10200C

```

In order, the three top menu groups are:

- "footer_menu", containing settings for the Settings and Help menus
- "menubar", containing settings for the standard provision navigation tabs and sub-tabs
- "admin_menubar", containing settings for the admin area navigation tabs and sub-tabs

The second level of the hierarchy contains each navigation tab under that group, showing properties for name, visibility, url, and tab children.

The third level, under "children" for a tab, lists the drop-down menu options available for the tab. Each child menu option has the same available properties, and can likewise be edited.

Navigation Customization

Customize the Instance Logo / Name

The instance logo and company name displayed throughout ProVision may be edited to reflect your own company name and logo.

In this example, we will change the topbar logo from the default (topbar-logo.png) to panda.png. You may also follow steps 2 and 3 to change the instance name ("brandName") referenced throughout ProVision.

Note: This action requires access and write permissions to your instance's "assets" directory

Tip - Before You Begin

Have your logo file ready to save into ProVision (png., .jpg, etc) ahead of time, and verify that the logo design is visible at small sizes, 48px or 64px wide.

There are no set size limitations, however ProVision will set the image to 48px wide by default.

This size property can be adjusted in the custom css theme files by searching for the the css property: "--brand-image-width", and adjusting the pixel width accordingly.

Click the walkthrough below for detailed instructions:

Step 1: Save your desired logo into ProVision

Using the Command Line Interface (CLI), save the desired logo image file (here, "panda.png") to your instance's "assets" directory, located at: "/var/www/html/[instance name]/assets"

```
cd /var/www/html/[instance name]/assets
```

```
:/var/www/html/qa-8.0.0-obf$ cd assets
:/var/www/html/qa-8.0.0-obf/assets$ ls
rd.js logo.png menu.json panda.png topbar-logo.png
:/var/www/html/qa-8.0.0-obf/assets$
```

Step 2: Open the Menu Customization File

Open the menu customization file, "menu.json" in vi, or another text editor:

Note: Depending on available user permissions "sudo" may or may not be required.

```
sudo vi menu.json
```

```
:/var/www/html/qa-8.0.0/assets$ ls
rd.js logo.png menu.json topbar-logo.png
:/var/www/html/qa-8.0.0/assets$ sudo vi menu.json
```

Step 3: Change the brandImage / brandName Reference

At the top of the file, look for the "brandImage" attribute. By default, it should read "assets/topbar-logo.png".

```
{
  "brandName": " company ",
  "brandImage": "assets/topbar-logo.png",
  "brandUrl": "dashboard/",
  "showCurrentReplicaServer": false,
  "footer_menu": [
    {
```

Edit the menu customization file to change the "brandImage" property to the new image name, here "assets/panda.png".


If needed, you may also update the "brandName" property to reflect your company or brand to match the new logo.

```
{
  "brandName": " company ",
  "brandImage": "assets/panda.png",
  "brandUrl": "dashboard/",
  "showCurrentReplicaServer": false,
  "footer_menu": [
    {
```

Save/write your changes to the file and exit.

Step 4: View the New Logo

Clear your browser cached image files, and log into ProVision. The new logo image should be visible on the left side of the navigation menu.



Custom Navigation Menu Visibility

ProVision instances can be customized to adjust the visibility of menu tabs and sub-tabs, so that unused modules and pages may be hidden.

In this example, we will hide the "IPAM" Tab from ProVision.

Note: This action requires access and write permissions to your instance's "assets" directory

Expand the walkthrough below for detailed instructions on changing the visibility of Navigation menu items:

Step 1: Open the Menu Customization File

Using the Command Line Interface (CLI), navigate to your instance's "assets" directory, located at: "/var/www/html/[instance name]/assets"

```
cd /var/www/html/[instance name]/assets
```

```
:/var/www/html/qa-8.0.0-obf$ cd assets
:/var/www/html/qa-8.0.0-obf/assets$ ls
rd.js logo.png menu.json panda.png topbar-logo.png
:/var/www/html/qa-8.0.0-obf/assets$
```

Open the menu customization file, "menu.json" in vi, or another text editor:

Note: Depending on available user permissions "sudo" may or may not be required.

```
sudo vi menu.json
```

```
/var/www/html/qa-8.0.0/assets$ ls  
d.js logo.png menu.json topbar-logo.png  
/var/www/html/qa-8.0.0/assets$ sudo vi menu.json
```

Step 2: Find the Tab in menu.json

When you view menu.json, tabs and their drop down sub-menu options are visible in a hierarchy organized by menu type.

The top level of menu.json contains instance-wide settings for brandName (displayed company name), brandImage (logo), brandUrl (default page), and "showCurrentReplicaServer" (displays a small banner with the hostname of the server to which ProVision is currently connected).

```

{
  "brandName": "company ",
  "brandImage": "assets/topbar-logo.png",
  "brandUrl": "dashboard/",
  "showCurrentReplicaServer": false,
  "footer_menu": [
    {
      "name": "Settings",
      "visibility": true,
      "url": "#",
      "children": [
        {
          "name": "Admin",
          "scope": "admin",
          "visibility": true,
          "url": "admin/admin.php"
        }
      ]
    },
    {
      "name": "Help",
      "visibility": true,
      "url": "#",
      "children": [
        {
          "name": "Documentation",
          "visibility": true,
          "url": "https://www.pivotaltracker.com"
        },
        {
          "name": "Contact Support",
          "visibility": true,
          "url": "mailto:support@pivotal.com"
        }
      ]
    }
  ],
  "menubar": [
    {
      "scope": "dashboard",
      "name": "Dashboard",
      "visibility": true,
      "url": "dashboard/"
    },
    {
      "scope": "resources",
      "name": "Resources",
      "visibility": true,
      "url": "resources/"
    }
  ]
}

```

"menu.json" 448L, 10200C

In order, the three top menu levels are:

- "footer_menu", containing settings for the Settings and Help menus
- "menubar", containing settings for the standard provision navigation tabs
- "admin_menubar", containing settings for the admin area navigation tabs

Under each menu grouping, on the second level of the hierarchy, is each main menu tab.

Each tab has properties for name, visibility, url, and tab children.

The third level, under "children" for a tab, lists the drop-down menu options available for the tab. Each child menu option has the same available properties, and can likewise be edited.

Since we are wanting to hide the "IPAM" tab in the standard area of ProVision, we need to scroll down to the "menubar" navigation grouping, and then find the second level tab with name "IPAM".

Step 3: Change the Tab Visibility

Once you find the desired tab to hide, enter edit mode, then change the "visibility" property from "true" to "false" (do not include the quotes, and be sure to retain the trailing comma).


```
},  
{  
  "scope": "ipam",  
  "name": "IPAM",  
  "visibility": false,  
  "url": "portable/ipamv2/",  
  "children": [  
    {
```

Save/write your changes to the file and exit.

Step 4: View the Updated Navigation

Clear your browser cached image files, and log into ProVision.

The updated navigation should be apparent, in this case with "DNS", "DHCP", "IPAM", "Peering", and "Reporting" tabs no longer visible.



Theme Customization

Two default ui themes are provided with ProVision - Light and Dark mode themes. Additional custom themes may be created and enabled to reflect company branding, if desired.

Themes are enabled on a per-user basis, by adjusting the Appearance settings available on the User Preferences page.

Changing Themes

User Preferences

Update Password

New Password

Confirm Password

Save

Other Settings

☐ Disable Help Pop-Up Bubbles

Save

Appearance

Enable Theming

ON

This mode allows the user to override and customize the application appearance. Dark mode is the default custom theme.

Dark Theme

ON

In this mode the system uses a darker color palette for all screens, views, menus and controls. You may need to reload some pages after enabling this mode.

Users may select the desired theme by navigating to the User Preferences page and adjusting the Theming settings under "Appearance" as follows:

- Light Mode Theme (default): Both "Enable Theming" and "Dark Theme" set to the OFF position
 - (Note: if no custom theme file exists, Light mode is also the fallback theme if "Enable Theming" is set to ON and "Dark Theme" is OFF)
- Dark Mode Theme: Both "Enable Theming" and "Dark Theme" toggles set to ON
- Custom Theme: If a custom theme file exists, set "Enable Theming" to ON, and "Dark Theme" to OFF to enable. If no custom theme file exists, this combination will fall back to Light Mode.

Create a Custom Theme

A custom theme file may be used to customize colors, fonts, and sizing to reflect your company's branding.

Note: Creating a custom theme requires strong CSS knowledge, as well as access and write permissions to your instance's "assets" directory

Dashboard
Resources
DNS
DHCP
IPAM
Peering
Reporting
Umbrella
Settings
Help

Resources
Entries
Sections

Add Entry
Clone
Settings

Resource list 74

Entries
export
chart view
show more

items per page 100
Search by name...
match name

<input type="checkbox"/>	Id	Slug	Name	Parent Id	Parent Name	Category Id	Category Name	Created
<input type="checkbox"/>	3436	12345-3436-160241	12345	1	TLR	-	-	2021-08-28 01
<input type="checkbox"/>	3474	a-dhcp-entry-3474-17...	A DHCP entry	1	TLR	185	QA Test Category	2021-08-31 11
<input type="checkbox"/>	1533	a-dns-entry-1533-152...	A DNS Entry	1	TLR	-	-	2021-08-27 0
<input type="checkbox"/>	1547	acp-test-entry-1547-1...	ACP Test Entry	1	TLR	-	-	2021-08-27 0
<input type="checkbox"/>	465	another-test-465-70893	another test	1	TLR	-	-	2021-08-10 11

For a detailed walkthrough, expand the instructions below:

Step 0: Before You Begin

To customize the default theme and change how the application looks with CSS, you'll need to add your own stylesheets or edit an existing theme file.

If you edit an existing theme file, we recommend making a copy of the existing file and keeping it as a backup file (.BKP).

The best practice is to manage your customizations in a new css file, using the information provided in the README.txt file under [your instance directory]/assets/css/custom (as seen below).

```
:/var/www/html/ /assets/css/custom$ ls
custom-theme-full.BKP  custom-theme-simple.BKP  custom-theme-simple.css  README.txt
:/var/www/html/ /assets/css/custom$
```

The README.txt file provides basic instructions as well as list of all available theming variables that may be used for a custom theme.

CSS Theming Variables

By enabling the "Theming" preference, css variables become available for a flexible look & feel customization. This is useful if a client wants to have their own colors and typography. Provides an easy way of managing the overall look & feel without writing complicated css selectors. List of all available theming variables:

```
/* header */
--header-height
--header-background
--header-font-family
--header-border-color
--header-border-shadow
--header-border-radius
--brandlogo-display
--brand-image-width
--brandname-display
--brandname-text-size
--brandname-text-weight
--brandname-text-color
--brandname-hover-text-color
--brandname-text-padding
```

We recommend reviewing the README.txt file and becoming familiar with the available theme variables and what elements they affect in a small test theme file before finalizing your custom theme.

Step 1: Create a Theme file

In this example, we'll create a simple teal theme using some of these variables, which focuses on color and font changes to the top navigation menu, panels, and dashboard:

```

:root {

  /* header menu */
  --header-height: 45px;
  --header-background: linear-gradient(90deg, #3FC6A8 0%, #2B3B90 100%);
  --header-font-family: Roboto,Helvetica,Arial,sans-serif;
  --header-border-color: #3282ee;
  --header-border-shadow: 0px;
  --header-border-radius: 0px;
  --brandlogo-display: none;
  --brand-image-width: 48px;
  --brandname-display: inline;
  --brandname-text-size: 24px;
  --brandname-text-weight: 400;
  --brandname-text-color: #ffffff;
  --brandname-text-padding: 5px;
  --menu-item-hover-background-color: #52525226;
  --menu-item-text-color: #ffffff;
  --menu-item-text-size: 13px;
  --menu-item-text-weight: 400;
  --menu-item-text-hover-color: #ffffff;
  --dropdown-text-size: 13px;
  --dropdown-text-color: #207c88;
  --dropdown-text-hover-color: #dc2870;
  --dropdown-text-background-color: #f6f6f6;
  --dropdown-text-padding: 6px 15px;
  --option-item-hover-background-color: transparent;

  /* anchors */
  --anchors-color: #207c88;

  /* panels */
  --panels-primary-border-color: #3998a0;
  --panels-primary-heading-background-color: #3998a0;
  --panels-primary-heading-border-color: #3998a0;

  /* dashboard */
  --dashboard-widget-heading-background-color: #3998a0;

}

```

1,1

Step 2: Save the Theme File(s)

Once you are done, save your custom stylesheet file(s) into the assets/css/custom directory, like this:

```

assets/
  css/
    custom/
      custom-theme-one.css
      custom-theme-two.css
      custom-theme-three.css

```

Make sure that any files used for the intended theme use the .css extension, and any separate theme or backup theme files are changed to the .BKP extension.


If multiple css files are used for a theme, they will all be applied together as the final custom theme displayed.

In our example, we are using "custom-theme-simple.css" as our new primary theme file:

```
:/var/www/html/ /assets/css/custom$ ls
custom-theme-full.BKP  custom-theme-simple.BKP  custom-theme-simple.css  README.txt
:/var/www/html/ /assets/css/custom$
```

Step 3: Enable the Custom Theme in ProVision


Log into ProVision, and go to the User dropdown -> "User Preferences" "Appearance".



The screenshot shows the 'User Preferences' page. On the left is the 'Update Password' section with fields for 'New Password' and 'Confirm Password', and a 'Save' button. On the right is the 'Other Settings' section with a checked checkbox for 'Disable Help Pop-Up Bubbles' and a 'Save' button. Below that is the 'Appearance' section. It contains the 'Enable Theming' toggle, which is currently set to 'OFF'. A description states: 'This mode allows the user to override and customize the application appearance. Dark mode is the default custom theme.' Below this is the 'Dark Theme' toggle, also set to 'OFF', with a description: 'In this mode the system uses a darker color palette for all screens, views, menus and controls. You may need to reload some pages after enabling this mode.'

Under "Enable Theming", turn the toggle to the ON position, and verify that "Dark Theme" is turned to OFF (otherwise, Dark Mode theming will overwrite the custom theming files).

Once you're done, refresh the page and the custom theme should be visible. In some cases, you may need to empty your browser's cached images and files, and "Hard Refresh".



This screenshot shows the same 'User Preferences' page after the 'Enable Theming' toggle has been switched to 'ON'. The 'Dark Theme' toggle remains 'OFF'. The overall appearance of the page has changed: the top navigation bar is now a solid teal color, and the 'Update Password' and 'Other Settings' panels have teal headers. The text in the navigation menu and panel headers is white, while the body text remains dark. The 'Appearance' section still shows 'Enable Theming' as 'ON' and 'Dark Theme' as 'OFF'.

Here, we can see the new theme has changed the color and font of the top navigation menu, menu dropdowns, and panels.